UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/752,928	01/07/2004	Christopher G. Neiner	MCC 01061 C2US 5794	
32233 STORM LLP	7590 06/01/2007	7 EXAMINER		INER
BANK OF AMERICA PLAZA			CASTELLANO, STEPHEN J	
901 MAIN STREET, SUITE 7100 DALLAS, TX 75202			ART UNIT	PAPER NUMBER
			3781	
			····	
			MAIL DATE	DELIVERY MODE
			06/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Summary	10/752,928	NEINER, CHRISTOPHER G.			
omee near cannary	Examiner	Art Unit			
The MAILING DATE of this communication app	Stephen J. Castellano	3781			
Period for Reply	rears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE!	I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 26 Ap	Responsive to communication(s) filed on <u>26 April 2007</u> .				
2a)⊠ This action is FINAL . 2b)☐ This	This action is FINAL . 2b) This action is non-final.				
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	33 O.G. 213.			
Disposition of Claims					
4)	vn from consideration.				
Application Papers		,			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction of the order o	epted or b) \square objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 2-12-07 	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te			

Application/Control Number: 10/752,928

Art Unit: 3781

Claims 8, 9, 21-26, 31-34 and 36-40 have been canceled. Claims 1-7, 10-20, 27-30, 35 and 41-44 are pending.

The amendment filed May 22, 2006 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: The fold in the annular countersink is an isocline fold and has been illustrated (as added to the specification on page 6). Also, that the chuckwall can have a vertical cross-section that can be represented by combining lines, curves, polynomials functions, or trigonometric functions, such as a Fourier series or Taylor series.

Applicant is required to cancel the new matter in the reply to this Office Action.

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 29 and 44 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Claims 29 and 44 states that the annular fold is an isocline fold.

Applicant asks for suggestions with respect to the isocline fold language. It is suggested that applicant remove any reference to the isocline fold.

Art Unit: 3781

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-7, 10-20, 27-30, 35 and 41-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wilkinson et al. (Wilkinson) in view of Brifcani et al. ('634)(Brifcani).

Wilkinson discloses a lid for a can body comprising a center panel, an annular countersink, a chuckwall and a peripheral curl portion. Wilkinson discloses the curl height of less than 0.091 inches in Table I where dimension C. is equal to 0.090 inches. Wilkinson discloses the radius of curvature of the chuckwall of from about 0.4 to about 1.0 inches as shown in Fig. 8 and at col. 5, lines 35-38 where the value of R_t is 0.39 inches which is about 0.4 inches. Generally, the assigned value of from about 0.4 to about 1.0 inches for the chuckwall radius of curvature is not given any criticality within applicant's disclosure. The annular countersink is a reinforcing bead. The chuckwall is non-linear. The diameter of the center panel is less than 80% of the diameter of the peripheral curl portion as evidenced by viewing Fig. 7 and designating that dimension A corresponds to the curl portion diameter and that the center panel diameter is designated by the equation B - 4E where B represents countersink diameter and E represents countersink radius. A calculation of these diameters using the values for the 206 diameter in Table I provides the following: 80% A = 2.091. B - 4E = 2.030. Since the center panel diameter is less than 80% of the curl portion diameter, this limitation is met. It is noted that Fig. 8 represents a curved chuckwall where the chuckwall curves outwardly so that the difference between curl portion diameter and the center panel diameter would be greater. Re the chuckwall

Application/Control Number: 10/752,928

Art Unit: 3781

being non-linear, the chuckwall is an annular wall that has a non-linear curve in the circumferential direction prior to and at least immediately after seaming.

Wilkinson discloses the invention except for the chuckwall angle of from about 20 to about 80 degrees.

Brifcani teaches a chuckwall angle of 43 degrees. It would have been obvious to modify the chuckwall angle to be 43 degrees has an optimum angle between shallow angles which allow less material to be used and steeper angles which have the advantage of providing a deeper recess with more protection for the center panel portion of the lid and less bending of the lid material in the double seaming operation where the lid is joined to a can body.

In addition, Brifcani teaches the ratio of diameter of the center panel to the diameter of the curl is 80% or less as stated in col. 2, lines 6 and 7 and as shown in Fig. 4 with d₅ representing curl diameter and d₁ representing center panel diameter as calculated with the values provided in the table in col. 3. It would have been obvious to modify the curl diameter to center panel diameter ratio to be less than 80% to provide optimum values of strength for stacking while making the can end from less metal to decrease the cost of making the can while maintaining its function and ability to stack.

Re claim 5, the curl portion is the extreme outer portion of the lid located at approximately 20 and 34 and a transitional portion located approximately at 32 extends between the chuckwall and curl portion.

Re claim 6, Brifcani teaches a substantially flat center panel. It would have been obvious to modify the center panel to be flat to provide a section that is not deformed from the flat sheet

material the lid is made from eliminating any steps need to deform the center panel with a curved cross section.

Re claim 7, Wilkinson appears to have an arcuate center panel in cross section, the outer peripheral edge is also arcuate.

Re claims 10-16 and 19, the step portion is not shown by Wilkinson. The Official notice taken in the July 20, 2006 Office action has not been challenged in applicant's October 20, 2006 response. Therefore, the previous Official notice will be treated as a prior art admission that step portions are well known in the can lid art, the arcuate shape of such step portions are well known and the dimensions of a radius of curvature for said step portions of about 0.02 to about 0.06 inches are well known. It would have been obvious to provide a step portion to provide separation between the chuckwall and the peripheral curl of the lid.

Re claim 17, the countersink height of from about 0.030 to about 0.115 inches is not shown by Wilkinson. The Official notice taken in the July 20, 2006 Office action has not been challenged in the October 20, 2006 response. Therefore, the previous Official notice is being treated as a prior art admission that these countersink dimensions are well known. It would have been obvious to increase the countersink depth to provide greater reinforcement of the can lid and to allow greater flexibility for the chuckwall.

Re claims 29 and 44, the annular fold of the countersink is an isocline fold insofar as claimed and illustrated by applicant since an isocline fold would have strata or layers of the same dip and applicant's isocline fold fails to have layers.

Re claims 30-40, the vertical cross-section of Wilkerson forms a first curve that is comprised of second curves, the second curves and first curve may all have the same radius. The Art Unit: 3781

second curves comprise curved lines. As stated in the specification as amended May 22, 2006 on page 7, it is known that the chuckwall vertical cross-section can be represented by combining lines, curves, polynomials functions, trigonometric functions, Fourier series or Taylor series.

Therefore, it would have been obvious to modify the curve of Wilkerson's chuckwall to be represented by combining lines, curves, polynomials functions, trigonometric functions, Fourier series or Taylor series.

Re claims 41-44, claim 41 differs from claim 1 only in that the "reinforcing bead" is referred to as a "fold." Claim 41 seems to have a broader scope since a bead is formed from a series of folds wherein the claimed "fold" of claim 41 is a singular fold not required to form a bead. The fold extends radially outward insofar as the fold has a width that extends radially outward much like the width of the reinforcing bead.

Applicant's arguments filed April 26, 2007 have been fully considered but they are not persuasive.

Regarding the issue of new matter, applicant has not been persuasive in stating that a isocline fold has been shown as originally filed in the drawings. The isocline fold which applicant refers in the top figure of the illustration of folds on page 9 of the amendment filed October 20, 2006 is an upwardly protruding bead rather than a downwardly indented bead, this isocline fold is shown as having multiple layers rather than the singular layer of the present invention. For these reasons, the "isocline" fold language is deemed new matter.

Re the 103 rejection, applicant has added the non-linear limitation. The chuckwalls of Wilkinson and Brifcani are non-linear in that they are curved in the circumferential direction.

Applicant's reference to the can lids being from different generations (deemed a reference to the

separation in age between references) is not well taken since the difference in age of references doesn't preclude their combination. Applicant's reference to the problem of "peak and leak" seems to be a functional consideration. Although references that pertain to a similar problem is desired, it is not a necessity that references must consider the same exact problem to be combinable. Wilkinson and Brifcani pertain to the same exact field of endeavor. Also, the considerations of the strength of an end closure with respect to weight and amount of material used seem to be up front and shared by all applications for beverage can ends.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Castellano whose telephone number is 571-272-4535. The examiner can normally be reached on M-Th 6:30-5.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/752,928

Art Unit: 3781

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen J. Castellano **Primary Examiner** Art Unit 3727

Page 8

sjc